

**CARCOS**




**CARCOS<sup>®</sup>  
GROUP S.r.l**

*... we'll go far together*

# CHEMICAL PRODUCTS FOR PROFESSIONALS ONLY



**CAR REPAIR SHOPS**



**BODYWORK SHOPS**



**CAR CARE**



**TRUCKS - INDUSTRY**

**Welcome to**



**... we'll go far together**

### **FAREMO MOLTA STRADA INSIEME**

*Ne abbiamo fatta di strada in questi anni: noi insieme ai nostri Clienti! Perché i rivenditori **CARCOS** hanno subito individuato i motivi che stanno alla base del nostro - e loro - successo: la superiore qualità dei prodotti, la loro alta competitività, la ricca gamma con oltre 150 articoli costantemente rinnovata ed ampliata, l'attenta rispondenza alle più attuali normative ambientali e CEE, la celerità e l'affidabilità del nostro servizio. E ancora: la costante cura dei nostri clienti, le molte fiere internazionali, i meetings, le campagne promozionali, la cura dell'immagine presso i media, la redditività della commercializzazione del nostro marchio.*

**Tutto ciò si traduce in una partnership forte e sicura.**

*Ecco perché siamo convinti che insieme ai nostri clienti attuali e futuri noi*

**FAREMO MOLTA STRADA INSIEME.**

### **WE'LL GO FAR TOGETHER**

*And in these years we've really been going far: we, together with our Customers! As a matter of fact all **CARCOS** dealers have very soon identified the reasons on which their and our success were based: the very high quality of the products, their actual competitiveness, the wide range of 150 articles, which we keep on widening and bringing up to date, the very careful observance of the existing european regulations, the respect for the environment as well as our quick and reliable service. And furthermore; the constant care of our Customers, the numerous international fairs, the meetings, the advertising campaigns, the image care on the mass-media, the productivity of our brand's commercialization.*

**All this becomes a strong and secure partnership.**

*That's why we are convinced that together with our actual and future Customers*

**WE WILL GO FAR TOGETHER.**



**CARCOS GROUP S.R.L.**

via Luigi Galvani 26 - I - 39100 Bolzano - BZ

Tel. (0039) - 0471 - 379048

**carcos@carcos.com • www.carcos.com**

***Il successo può  
cambiare molte cose:  
ANCHE  
LE OPINIONI***

***Success can change  
many things:  
EVEN  
OPINIONS***



***CARCOS®  
GROUP S.r.l.***

***...we'll go far together***

***Principalmente quelle comuni,  
che notoriamente sono volubili.  
Ma quelle radicate che costituiscono  
la filosofia aziendale di un successo  
commerciale come il nostro,  
non si toccano.***

***Questo vale sia per il nostro marchio  
CARCOS, che per tutti i prodotti in  
PRIVATE LABEL che realizziamo per i  
nostri clienti in Italia e all'estero.***

***Mainly the common ones,  
which are notoriously fickle.  
But the deep-rooted ones that  
make up the corporate philosophy  
of a commercial success like ours,  
are not to be changed.***

***This applies both to our CARCOS  
brand and to all the PRIVATE  
LABEL products that we make for  
our customers in Italy and abroad.***



### **Egregio cliente!**

Vogliamo ringraziarla per la fiducia che Lei ha dato alla nostra azienda, una fiducia che si è tradotta in una lunga e fattiva cooperazione e che ci vede presenti in numerosi Paesi diversi in tutto il mondo con tanti clienti soddisfatti. Vogliamo assicurarle che tutti i nostri prodotti sono ampiamente testati e garantiti per un corretto uso professionale. Non solo: tra le prime Case al mondo diamo **12 mesi di garanzia sulla nostra linea sigillanti e ben 5 anni su tutta la linea aerosol.**

**CARCOS: il valore di un prodotto, prima del suo costo!**

### **Dear customer!**

We want to thank you for the trust you have placed in our company, a trust that became a long-lasting and profitable cooperation between us and that see us present in several different countries worldwide with many satisfied customers. We would like to assure you herewith that our products are fully tested and guaranteed for a correct professional use, but not only: we are one of the first manufacturing companies in the world that is offering a **12 months' guarantee on our sealants line as well as a full 5 years guarantee on the entire aerosol line.**

**CARCOS: the value of a product, before its cost!**

### **Cher client!**

Nous tenons à vous remercier pour la confiance que vous accordez à notre entreprise, une confiance qui s'est traduite par une collaboration longue et efficace et qui nous voit présents dans de nombreux pays différents à travers le monde avec de nombreux clients satisfaits. Nous voulons vous assurer que tous nos produits sont entièrement testés et garantis pour une utilisation professionnelle appropriée. En plus: nous sommes une entre les premières Sociétés dans le monde qui offre **une garantie de 12 mois sur notre ligne de scellantes et de 5 années sur toute la gamme d'aérosols.**

**CARCOS: la valeur d'un produit avant son coût!**

### **Estimado cliente!**

Muchas gracias por su confianza en nuestra Sociedad, una confianza que se ha traducido en una durable y factiva colaboración comercial que nos permite de ser presentes en muchos payses en todo el mundo, y de tener con orgullo muchos clientes satisfechos. Querimos vos asegurar que todos nuestros productos han sido ampliamente examinados y que son garantidos para un correcto uso profesional. Y además: somos una de las primeras Sociedades que ofrece **una garantía de 12 meses sobre todas las masillas y de 5 años sobre toda la línea de aerosoles.**

**CARCOS: ¡el valor de un producto antes de su costo!**

### **Sehr geehrter Kunde!**

Wir bedanken uns für das unserem Unternehmen entgegengebrachte Vertrauen, ein Vertrauen, das sich in einer langen und wirksamen Zusammenarbeit entwickelt hat, weltweit in zahlreichen verschiedenen Ländern mit vielen zufriedenen Kunden. Wir wollen Ihnen versichern, dass all unsere Produkte für eine korrekte und professionelle Anwendung getestet und garantiert sind. Nicht nur: als einer der ersten Hersteller weltweit geben wir **12 Monate Garantie auf unsere Dichtmassen und volle 5 Jahre auf die gesamte Aerosollinie.**

**CARCOS: fragen Sie nicht, was unsere Produkte kosten, fragen Sie, was sie wert sind!**

# ***CHEMICAL PRODUCTS CAR REPAIR SHOP***





## **CHI SA COSA VUOLE GODE CIÒ CHE OTTIENE**

E se lo tiene. Chi ha lavorato con i nostri prodotti sa cosa valgono. Chi ha provato certi nostri articoli come TOP LUBE 2020, BRAKE CLEANER, CARCOSEAL, CARCOFLEX, DETER FORCE non li ha più cambiati. Appunto perché sa cosa vuole.

## **WHOEVER KNOWS WHAT HE WANTS, ENJOYS WHAT HE GETS**

And keeps it. Whoever has used our products already knows what they are worth. After trying some of our articles such as TOP LUBE 2020, BRAKE CLEANER, CARCOSEAL, CARCOFLEX, DETER FORCE our customers haven't changed products since, because they know what they want.

## **L'ESSAYER C'EST L'ADOPTER**

Tous les professionnels qui ont travaillé avec nos produits savent ce qu'ils valent . En particulier, ceux qui ont utilisé certains de nos articles tel que le TOP LUBE 2020, BRAKE CLEANER, CARCOSEAL, CARCOFLEX, DETER FORCE n'en ont plus changé et pour cause, ils les utilisent tous les jours.

## **WENN MAN WEISS WAS MAN WILL, GENIESST MAN WAS MAN HAT**

Und man hält es auch. Wer mit unseren Produkten gearbeitet hat, weiß was sie wert sind. Wer gewisse Produkte wie TOP LUBE 2020, BRAKE CLEANER, CARCOSEAL, CARCOFLEX, DETER FORCE gebraucht hat, hat sie nicht mehr gewechselt. Weil er eben weiß, was er will.

## **QUIEN SABE LO QUE QUIERE, DISFRUTA LO QUE CONSIGUE**

Y si se lo queda. Quienes han usado nuestros productos sabe lo que valen. Los que han utilizado algunos de nuestros artículos como TOP LUBE 2020, BRAKE CLEANER, CARCOSEAL, CARCOFLEX, DETER FORCE nunca los han cambiado. Precisamente porque saben lo que quieren.



**CARCOS GROUP S.R.L.**

via Luigi Galvani 26 - I - 39100 Bolzano - BZ

Tel. (0039) - 0471 - 379048

[carcos@carcos.com](mailto:carcos@carcos.com) • [www.carcos.com](http://www.carcos.com)





# CARCOSEAL BLACK & RED

ELASTIC SEALANT FOR ENGINES



Art. 315 - CARCOSEAL RED - red paste  
Art. 316 - CARCOSEAL BLACK - black paste  
Cont. gr 90



## HI-TECH IN SEALING

- Exceptional adhesive power
- Perfect resistance
- Exceptional heat resistance (from -50°C until +300°C)
- Quick vulcanization
- Very good chemical resistance
- High efficiency



# CARCOSEAL 91

GREEN SEALANT FOR SMOOTH SURFACES

**SPECIFIC FOR CLUTCHES AND DIFFERENTIAL GEARS**



- Very resistant and adhesive
- It seals instantaneously by lack of air
- Proof against ranges of temperature from -50°C until +180°C
- Can be easily disassembled
- Tyxotropic - no shrinkage, no sag

Art. 205  
CARCOSEAL 91  
Cont. ml 100

CARCOSEAL 91 is a specific product which hardens instantaneously only by lack of air. This product has been specially created to build thin linings on the engine's moulded parts like clutches and differential gears. CARCOSEAL 91 is resistant against water, mineral oil, synthetic lubricants, fuel, organic solvents and freezing-mixtures. Due to its characteristics it is very suitable for use on smooth surfaces which must be often disassembled.



# CARCOSEAL FAST

ELASTIC SEALANT AEROSOL - BLACK



- Exceptional adhesive power
- Perfect resistance
- Heat resistance (-50°C until +180°C)
- Quick vulcanization
- Ideal for rapid applications
- One-component product

**NEW**

### Use instructions:

The surfaces must be clean, dry and without any grease. CARCOSEAL FAST is extruded directly from the cartridge. The drying time depends on the humidity and temperature.

Art. 317  
CARCOSEAL FAST  
Cont. ml 200





# CARCOBLOCK


*Ideal for blocking - fastening - sealing - fixing*

*The complete product line for the branch's professional*




Art. 330 - CARCOBLOCK 100 - blue  
Art. 331 - CARCOBLOCK 101 - red  
Cont. ml 50


Art. 332 - CARCOBLOCK 102 - pale blue  
Art. 333 - CARCOBLOCK 103 - green




*braking*



*fixing*



*blocking*



*sealing*



**Art. 330 - CARCOBLOCK 100** is a low viscosity screw- blocking glue, with middle resistance power. Suitable for all MA - MB screws until M 12. Removable.

**Art. 331 - CARCOBLOCK 101** is a high viscosity screw-blocking glue, for bushes and bearings, with medium resistance power. Suitable for all MA screws until M 36. Removable.

**Art. 332 - CARCOBLOCK 102** is a medium resistance screw-blocking glue with high mechanical resistance power. Suitable for all MA - MB screws until M 20. Difficult to remove.

**Art. 333 - CARCOBLOCK 103** is a special high viscosity sealant, with high mechanical resistance power. Suitable for all MA screws until M 36. Difficult to remove.



# INSTANT BONDER

## IMMEDIATE ACTION SUPER-ADHESIVE



- Very quick and very practic
- Very high adhesivity
- For all fastening purposes

*with antiscaling pin*



THE VERY QUICK  
SOLUTION FOR EVERY KIND  
OF FIXING PROBLEM

Art. 322:  
INSTANT BONDER  
Cont. gr 10



# STICK SPRAY

## QUICK SPRAY ADHESIVE



- Rapid
- Practic
- Powerful

**NEW FORMULA**

**STICK SPRAY** is a highly and quickly effective mastic: it is particularly suitable for sticking cardboard parts, paper, rubber, polystrene, wood and other materials put in places which are difficult to reach. Before use, shake can very well, then spray from 10-20 cm distance and wait few minutes before joining together the parts which are going to be stucked.

**Porous materials should be sprayed only on one side.**



*Band structure due to its special nozzle.*

Art. 842  
STICK SPRAY  
Cont. ml 400




# RUST REMOVER WITH MOLYBDENUM SULPHIDE



with  
MOS<sub>2</sub>



- Releases quickly
- Eliminates creakings
- Lubricates and protects





**RUST REMOVER** is a highly and immediately penetrating product, particularly suitable in the car branch to release screws, nuts, studs and any other kind of metallic threaded part. Due to its molybdenum sulphide contents, **RUST REMOVER** is also a very good lubricant, it protects therefore the treated parts from further oxydation. Its attached prolonguing thin straw allows the use of the product also in places wich are very difficult to reach.

**The product can also be used at very low temperatures.**

Art. 300  
RUST REMOVER SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw





# SUPER RUST REMOVER

## WITH IMMEDIATE RELEASING ACTION



- Releases immediately
- Penetrates and lubricates
- Expels moisture
- Dissolves the oxidized layers

**SUPER**


**98% of active substances**

Due to the 98% of active substances it contains, **SUPER RUST REMOVER** allows an **almost immediate release of screws, nuts, studs** and of any other kind of metallic threaded part, setting them free from rust, scaling and oxydation. Furthermore, thanks to its special formula, **SUPER RUST REMOVER** lubricates thoroughly and with its high penetration power it expands in places which are very difficult to reach, eliminating all annoying creakings and frictions.

Finally, **SUPER RUST REMOVER** has got a very high water expelling power and therefore with its powerful spout it thoroughly puts water and moisture away from the electric contacts, forming a light and protective film which enables a better electric conductivity. Its attached prolonging thin straw allows the use of the product also in places which are very difficult to reach.

Art. 301  
SUPER RUST REMOVER SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw





## TF 216 RADIATOR REPAIR LIQUID



Art. 320  
TF 216 RADIATOR REPAIR LIQUID  
Cont. ml 250

TF 216 is a radiator repair liquid that **grants a 100% safe employment**, without any kind of troublesome obstructions that could damage the radiator itself. Our product is of a very high quality and does not effect on the water temperature. When used, **TF 216** forms a very light but very resistant plastic layer on the small leaks and cracks, that normally rise losses and infiltrations to the engine. The product does not wear metals or rubber parts away. In order to obtain the best results, after pouring the product, please set the heating system in motion and start the engine, for about 15 minutes: **The 250 ml contents of TF 216 are sufficient for about 15 litres, therefore for 2 interventions.**




## DR 216 RADIATOR CLEANER



Art. 319  
DR 216 RADIATOR CLEANER  
Cont. ml 250

DR 216 is a radiator descaling liquid, right for detaching all the oily and rusty substances, allowing therefore a better circulation and a better cooling action of the radiator itself. Use: empty the radiator from its contents and fill it until its half with water. Then pour the product into the radiator and fill it with water until the right level. Start the engine and let it function for about 8-10 minutes, in order to let the product be thoroughly effective. After this, empty the radiator again and fill it with water. **Very important:** use the descaling liquid before filling it with anti-freeze liquid. The 250 ml of DR 216 are sufficient for about 12 litres water. Shake can well before use.




## EMP EXHAUST MOUNTING PASTE



Art. 810 EMP  
EXHAUST MOUNTING PASTE  
Cont. gr 170

EMP muffler mounting paste allows a rapid and safe assembly of the silencer system and thanks to its very high heat – resistance (over 700°C), reached by hardening the paste with the heat itself, it grants a long lasting and strong retaining quality; it also grants an easy disassembly of the previously assembled parts. **Use:** clean rust before applying the product, then generously apply the paste on the connections of the whole system and assemble it. After assembling, the heat of the muffler will harden the paste and perfectly seal it.





# CARCOS ENGINE CLEANER




**Art. 808T - ENGINE CLEANER**  
Cont. lt 20

## For a perfect engine cleaning action

Product based on effective surfactants and solvent mixtures perfectly degreases engines and their parts, emulsifying even the most tenacious dirt. It does not attack and / or corrode seals and rubber parts. ENGINE CLEANER T is a liquid particularly studied for the cleaning of assembled, disassembled motors and mechanical parts, during the periodic revisions or repairs through the use of a dispensing lance.

**Art.808T** It must be used manually or with a pure sprayer at room temperature. Rinse after application. Perfect engine cleaning. It does not attack or corrode seals and rubber parts. Very efficient. Very powerful in its action.




## Ideal for manual cleaning in tanks

Concentrated solvent-based, slow evaporation product with excellent degreasing power for the removal of carbonized greasy and oily residues from engines and mechanical parts in immersion tanks.

**How to use:** It should be used pure and at room temperature.

**Art. 808TV - ENGINE CLEANER**  
for tank washing  
Cont. lt 20



# CARBURETTOR CLEANER

## FOR EXTERNAL CARBURETTOR PARTS



## Instant cleaner and degreaser



**SUPER FAST  
POWER ACTION**

**Art. 804**  
**CARBURETTOR CLEANER SPRAY**  
Cont. ml 400

- Cleans instantaneously
- Can be easily used
- **The carburettor looks like new**

**CARBURETTOR CLEANER** for the carburettor's external parts and for all other kinds of metallic surface, thoroughly and instantly cleans all dirty and greasy incrustations, letting all treated surfaces shine and look like new. Spray the product from a distance of about 10-20 cm.

**WARNING:** the product corrodes paints.



# BRAKE CLEANER




**NEW FORMULA**



- Cleans and degreases
- Highly effective cleaning action
- Quickly drying
- Not corrosive - not toxic

**BRAKE CLEANER** is a highly effective cleaner to clean brakes, clutches, carburetors, fuel and oil pumps as well as other mechanic parts like chains, joints, clacks and so on. Thanks to its very quick drying action as well as to its high cleaning power, all treated surfaces will be perfectly clean in a very short time.



**QUICK DRY ACTION!**



**Art. 807/2  
BRAKE CLEANER SPRAY  
Cont. ml 500**

**Art. 807/3  
BRAKE CLEANER SPRAY  
Cont. ml 600**

**Art. 807 T5  
BRAKE CLEANER  
Cont. Lt.5**

**Art. 807 T20  
BRAKE CLEANER  
Cont. Lt.20**



## CARCOS 6911 THROTTLE BODY CLEANER



- Novelty - Novelty - Novelty -



- Cleans instantaneously
- Can be easily used
- Improves the engine's efficiency
- Surfaces shine and look new

CARCOS 6911 is a special degreaser for throttle body, valves, rings, elastic parts and all metals surfaces. With its cleaning action, the product removes the greasy incrustations in the cylinder and in the valves. The result is a better engine function.

CARCOS 6911 gives the surfaces new shine and makes them bright, like new.


**WARNING:** the product corrodes paints.

### Use instructions:

Spray the product from a distance of about 20 cm. The product can be sprayed in the air conduct, without removing the air filter.

Art. 819  
CARCOS 6911  
Cont. ml 400

WITH EXTRA-LONG  
CANE








# CARCOS 2601

## DECARBONIZZANTE SPRAY



- Particularly effective solvent
- Suitable for cleaning manifolds, turbines, injectors, EGR valves, heads.
- Easily eliminates carbon residues
- Suitable for all metal surfaces

**CARCOS 2601** is a product with an innovative formulation designed to facilitate the removal of carbon residues. Its special formulation has been developed to dissolve the dirt generated by combustion fumes on mechanical parts subjected to high temperatures. **CARCOS 2601** has to be sprayed abundantly on the surface to be treated at a distance of 15-20 cm. In the case of particularly hardened incrustations we suggest a contact time up to 10-15 minutes to favor the chemical dissolution. Repeat the operation after a few minutes in the most difficult cases.



Art. 307  
DECARBONIZING SPRAY  
Cont. ml 400





# FAP CLEANER

## CLEANER FOR FAP FILTERS



- High content of catalyst CeO<sub>2</sub> ("cerina")
- Contains no compounds known to be toxic or harmful.
- Does not stain, does not corrode, safe for users.
- It ensures excellent results even on engines fueled with poorly de-sulphured Gasoline.

**CARCOS FAP – CLEANER** is a specific product for the regeneration and cleaning of Anti-Particulate Filters in modern Diesel engines. Formula of proven effectiveness that lowers the flash point of the unburned residues, (particulate) which gets deposited on the FAP ceramic filter, compromising the good effectiveness of the filtering system and the good operation of the engine. Added to the foreseen intervals in the specific tank or eventually added to the diesel according to the specifications of the vehicle manufacturer, it guarantees exceptional results both in terms of improving the nature of the emissions and perfect cleaning of the system and the pressure control sensors. It avoids damage to the filtering unit and lengthens the filter self regeneration intervals.



Art. 385  
FAP CLEANER  
Cont. ml 1000



# SILICON SPRAY




- Lubricates
- Isolates
- Protects
- Renews

**SILICON SPRAY** forms a transparent, highly resistant and adhesive film that due to its high penetration power protects the different mechanic joints against oxidization like locks, jacks, hinges, joints and so on. **SILICON SPRAY** protects the rubber and plastic parts as well, against cracks and gives to the treated parts a long lasting new shine. **Our product is a dust - repeller and is also used to seal the cabrio tops.**


Spray uniformly from a distance of about 20 cm.



Art. 817  
SILICON SPRAY  
Cont. ml 400



*Lubricates*



*Isolates*



*Protects*



*Renews*



# CARCOS 2020 CARCOS 2020 FLUID TOP LUBE SPRAY



*The most used in  
the workshops!*

- Transparent
- Very adhesive and resistant
- Water-proof and inalterable
- Heat resistant (-40° C +200° C)



CARCOS 2020 is a high quality lubricant that allows an exceptional lubrication of the mechanical parts which are exposed to high pressures, swings and big temperature ranges .

CARCOS 2020 is **transparent** and due to the immediate evaporation of its solvent, it allows an **optimate penetration**. Its powerful stream can be better directed thanks to the attached extensible straw, allowing its use also in parts which are difficult to reach. The permanent lubrication given by our product, protects the treated parts from corrosion.



CARCOS 2020 is also **heat resistant**, from -40°C up to +200°C, and unalterable against atmospheric agents, gas, hydrocarbons, lubricant oils, as well as waterproof (also seawater). Shake can well before use and spray from a distance of about 20 cm.



Art. 829 C  
CARCOS 2020  
Cont. ml 500

Art. 829 F  
CARCOS 2020 FLUID  
Cont. ml 500

*cap with  
attached extensible  
straw*



*Look at the high  
and fast adhesivity*

*fluid  
version*






# CARCOS 2580 TEF - SPRAY



**VERY STRONG - WATER REPELLENT - RESISTANT TO VERY HIGH TEMPERATURES**



- Dry and not oily lubricant
- Resistant to very high temperatures
- Highly protective



CARCOS 2580 TEF - SPRAY is a very strong and water repellent dry lubricant that avoids adhesion, **resistant to very high temperatures (up to +350°C)**. It has an exceptional protective power and can be used on different materials like metals, plastic, rubber and wood. It is particularly suitable to treat parts that have to avoid adhesion as well as to be used as a dry lubricant on equipments, precision mechanism and for parts which are in touch with acid substances, atmospheric corrosive agents and alkali solvents. Shake can very well before use, then spray the product from a distance of about 30 cm on clean and dry surfaces. After a few seconds there will appear a light white film with exceptional lubricating and separating properties.

Art. 828  
CARCOS 2580  
TEF - SPRAY  
Cont. ml 400





## CARCOS 4400 WHITE GREASE SPRAY



CARCOS 4400 WHITE GREASE is a lubricant white grease with special adhesion properties, suitable for all moving mechanic parts, water expellent and protecting against corrosion. CARCOS 4400 WHITE GREASE leaves a film on the treated surfaces, that grants a long lasting efficiency and is resistant to high temperatures up to +150°C. It can be employed on sliding guides, gears, cardan joints, racks, hinges, transmission chains, springs and so on. Spray from a distance of about 20 cm.



- Very adhering
- Heat resistant up to +150° C
- Water expellent
- Long lasting action

*professional for  
the workshop*

Art. 403  
CARCOS 4400  
WHITE GREASE SPRAY  
Cont. ml 400



## CARCOS 6670 - CU SPRAY ANTI - SEIZE LUBRICANT



- Very high heat-resistance  
from -180° C up to +1200° C
- Very high efficiency
- Avoids exhaust system squeakings

CARCOS 6670 is a copper spray lubricant against seizing, resistant to very high temperature ranges (from -180° C up to +1200° C). It can be used for different industrial purposes like: steel mills, foundries, workshops, building contractors, as well as in the automotive branch, applied on exhaust manifold nuts, frames, couplings, leafsprings and all other kinds of mechanical parts exposed to atmospheric agents. Shake can well before use.



Art. 402  
CARCOS 6670 - CU SPRAY  
Cont. ml 400

*Heat - Resistant  
Lubricant  
against seizing*




# CARCOS 5500 CHAIN GREASE SPRAY



- Very adhering
- Water repellent
- Lubricates very good
- Long lasting action


CARCOS 5500 is a spray grease for chains, that lubricates with its very high adhesion properties that make it also suitable for the lubrication of the motorbike's chain transmissions. It adheres perfectly to the moving chain and assures this way a continuous lubrication. Our product, thanks to its special characteristics is very good against corrosion and waste and for this reason it prolongs a lot the life of the chain itself. **It does not attack the O-R rubber rings.** Wait for some minutes after its application before setting the transmission in motion again, in order to enable the grease adhesion to the chain. The attached extensible straw allows the product's application also on parts which are difficult to reach.



Art. 830  
CARCOS 5500  
CHAIN GREASE SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw

*It doesn't attack  
O-R rubber rings*






# CONTACT SPRAY




- Deoxidizes
- Eliminates moisture
- Aids electric contacts



**CONTACT SPRAY** is the most indicated product for workshops and for car electrical repairs. This product cleans, deoxidizes and protects, helping this way the start and the functioning of distributor, alternator and starter. **CONTACT SPRAY** prevents the oxidizing of all electric contacts. It melts all the oxide and sulphide layers and furthermore prevents voltage scatters and tension drops.

Art. 803  
CONTACT SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw





# COMPRESSED AIR SPRAY



- Very practical
- Very powerful air stream
- With prolonging thin cane



COMPRESSED AIR SPRAY easily substitutes the compressed air generator, thanks to its high- pressure air stream which removes dirt and foreign bodies from places which are difficult to reach. It is especially indicated to clean electronic calculators, optical groups, fine mechanical parts, as well as in the automotive field, for filters, radiators and air conditioning plants. Do not shake the can during its use. Insert the attached thin cane and spray from a distance of 5 cm from the object.

**Art. 410**  
**COMPRESSED AIR SPRAY**  
Cont. ml 400



# CARCOS CF 12 REVEAL GAS SPRAY



- Gas leaks detector
- Very quick and effective
- Also for flammable gas



IT CAN BE USED WITHOUT PROBLEMS  
ALSO FOR FLAMMABLE GAS PIPELINES  
UNDER PRESSURE !

CARCOS CF 12 is a gas leaks' detector which allows an easy location of all gas leaks from pipelines, tanks, also under pressure and every kind of compressed – air tanks. **It can be used for flammable gas pipelines under pressure! NO EXPLOSION DANGER.** Hold the bottle vertically and spray uniformly on the surfaces to be tested. The appearance of small bubbles will indicate where the leak is placed.

**Art. 408**  
**CF 12 REVEAL GAS SPRAY**  
Cont. ml 400



# NO MARTEN SPRAY



- USEFUL protects electrical systems and wiring of cars
- EFFECTIVE sprayed on the attackable surfaces protects them
- VERSATILE can be used on any plastic surface

No Marten Spray is a protective agent for electric cables and rubber parts against martens and rodents in general. Sprayed from a short distance on both sides of the parts to be protected, the product prevents the rodent from biting the treated surface. The product can be used both indoors and outdoors, is colorless, resists frost, has water resistant characteristics and is resistant to salt.

**Art. 311**  
**NO - MARTEN SPRAY**  
Cont. ml 400






# NEVER FROST

## SPECIAL ANTI - FREEZE LIQUID

### FOR WINDSCREENS



- High concentration
- Highly effective
- Over 90% biodegradability
- Does not contain methanol
- With measuring - table



- Art. 990 - NEVER FROST ml 250
- Art. 992 - NEVER FROST lt 1
- Art. 993 - NEVER FROST lt 5
- Art. 994 - NEVER FROST lt 20

**UP TO -70°C !**

**NEVER FROST** is a special additive for windscreen - wiper which does not only ensure the right function of the windscreen wiping system during the winter, but also provides an excellent cleansing effect. Pouring our product in the water chamber it will avoid the freezing of the windscreen - wiper's liquid at very low temperature ranges. Please read the attached measuring - table to determinate the right concentration.

**measuring table**

NEVER FROST	WATER	°C
1	0	- 70°
1	1	- 16°
1	2	- 8°
1	3	- 5°





## DEFROSTER SPRAY DE-ICER FOR WINDSCREENS



- Quickly de-ices all car windows
- Does not leave halos
- Very practical and economic

**DEFROSTER SPRAY** is the ideal product for a quick de-icing of all windows and of all other glass surfaces of the car, also at very low temperatures.



Art. 987  
DEFROSTER SPRAY  
Cont. ml 400

*... and you can see the difference...*



## QUICKSTART SPRAY FOR GASOLINE AND DIESEL ENGINES




**QUICKSTART SPRAY** allows a quick start for all kinds of vehicles, at very low temperatures (-35° C), suitable for diesel and gasoline engines.

**Instructions for use:**

**For gasoline engines:** spray product from a very small distance for 1-2 seconds in the air filter, then set the starter in motion and lightly speed - up.

**For Diesel engines:** without setting in motion the pre-heating plug, spray the product in the final filler of the injector. Also after the first start, spray for some seconds.



Art. 983  
QUICKSTART SPRAY  
Cont. ml 200



# CAR HABITAT PRO SANITIZING SPRAY

**SANITIZES - DISINFECT - CLEANSSES**



**Art. 814 BC**  
**CAR HABITAT PRO**  
Cont. ml 400



- **Multipurpose**  
It allows multiple uses in the field of industrial cleaning and maintenance.
- **Safe**  
It does not contain compounds classified as toxic / harmful.
- **Quick action**  
Exceptionally active, it can be used on any surface, does not discolour, does not strip, does not stain

**NEW FORMULA**

**CAR HABITAT PRO** is an ALCOHOL-BASED specialistic product for the elimination of organic dirt in normal cleaning operations and to check the bacterial load values on surfaces and equipment. The special formulation characterized by the use of ethanol (75-80% pure) anhydrous 95°C and a new and innovative active ingredient gives the product a high bacteriostatic activity superior to any other product on the market. The product finds useful use in the implementation of HACCP sanitation procedures, and in all cleaning and sanitizing operations. It can be used on all surfaces and does not leave streaks.





# CARCO AIR 2000

## SPECIAL HYGIENIZER FOR AIR CONDITIONING SYSTEMS



**NEW - NEW - NEW - NEW - NEW - NEW**



Art. 813  
CARCO AIR 2000  
Cont. ml 200

- Special cleaner and hygienizer
- With bactericide substances
- Long lasting action (1 year)

The ideal product against mould and bacteria that cause bad smells and allergies. **CARCO AIR 2000** solves these problems in an effective way and moreover, the special bactericide substances it contains also grants the hygiene of the air conditioning system.

#### Use instructions:

by using the special thin cane, spray **CARCO AIR 2000** inside the ducts of the air-conditioning and heating system. After 10 minutes switch on the aeration system for at least 5 min. Use one spray bottle to clean each aeration system. For the art. 813/2 the half of the bottle is enough for one application.

**After this operation the system's hygiene is assured for one entire year.**

Only for professional use.




Art. 813/2  
CARCO AIR 2000  
Cont. ml 400

**LIQUID  
FORMULA**



Equipped with a multidirectional  
60 cm long cane for a better  
diffusion.





# CARCOS GEL HAND-CLEANSER

- High performance - fast action
- Highly economical
- With pleasant smell



*The new generation of gel hand-cleanser*

*The right solution for your dirty hand problems!*



## PAINT OFF

*Paint & Resin Hand Cleanser*



Art. 851 P - Cont. lt 5



## WARRIOR

*Natural Citrus Hand Cleanser for Workshops*



Art. 851 W - Cont. lt 5



## PLF 2000

*Fluid hand cleanser*



Art. 851 PLF - Cont. lt 5



## PL 2000

*Hand cleanser*



Art. 851 PL - Cont. kg 5



# CC 2020 CLEANING CLOTH

## DISPOSABLE SANITIZING WIPES IN TNT

CLEANS - MOISTURIZES - PROTECTS



- Dermatologically tested
- With ALOE BARBADENSIS
- Soft on one side and abrasive on the other
- Ideal for workshops - body shops - industries
- Enriched with natural emollients and moisturizers

**CC2020 CLEANING CLOTH** is a non-woven towel, slightly abrasive on one side and soft on the other, particularly effective for cleaning hands. Very suitable for those who work in the automotive, industry, bodywork sector, it is an ideal product for cleaning hands quickly without water, removing oils, greases, glues and silicone residues, eliminating smells of petrol and / or diesel. Dermatologically tested, it is also enriched with emollients and moisturizers natural with Aloe Vera extract.

### How to use:

Remove a towel from the container, rub it between your hands until the dirt is removed and wait for it to dry.

Art. 850  
CC2020 SANITIZING WIPES  
Cont. 80 wipes



# ***CHEMICAL PRODUCTS*** ***BODYWORK SHOP***





## **NUOVO O COME NUOVO?**

Dove sta la differenza se non si vede? Riparare in modo tale da non vedere nulla: è la massima aspirazione di ogni carrozziere e di ogni autoriparatore. I nostri prodotti la rendono possibile: ce lo confermano le tante testimonianze degli utilizzatori del settore.

## **BRAND-NEW OR AS-NEW?**

What does it matter if you can't see the difference? The main aim of our company and all car repair and bodywork centres is to carry out repairs that cannot be seen. Our products make this possible and the results are confirmed by our customers.

## **NEUF OU COMME NEUF?**

Quelle est la différence si on ne la voit pas? Une réparation qui est invisible: c'est l'ambition de tous les carrossiers et de tous les réparateurs automobiles. Cela est devenu possible grâce à nos produits. Les nombreux témoignages des utilisateurs du secteur sont là pour le prouver.

## **NEU ODER WIE NEU?**

Wo liegt da der Unterschied, wenn man ihn nicht sieht? Eine unsichtbare Reparatur: das ist der größte Wunsch eines jeden Karrosserie- und Automechanikers. Unsere Produkte ermöglichen es: dies wird uns von unseren Kunden bestätigt.

## **¿NUEVO O COME NUEVO?**

¿Dónde está la diferencia si no puedes verlo? Reparar de tal manera que no se pueda ver nada: es la máxima aspiración de todo carroceros y de todo mecánico de coches. Nuestros productos lo hacen posible: así lo confirman los numerosos testimonios de usuarios del sector.



**CARCOS GROUP S.R.L.**

via Luigi Galvani 26 - I - 39100 Bolzano - BZ

Tel. (0039) - 0471 - 379048

[carcos@carcos.com](mailto:carcos@carcos.com) • [www.carcos.com](http://www.carcos.com)





# BODY SLIM & FAST 96

## MONO-COMPONENT ANTI-RUST PROTECTIVE BASED ON SYNTHETIC RESINS

**FIRST CLASS CORROSION-PREVENTIVE**



ONE PRODUCT FOR EVERY KIND OF WORKING PROCESS

Mainly used by:  
Ford - Renault - VW  
Audi - BMW - Opel  
Mercedes

- 1 - component product
- High adhesion (on PVC as well)
- **Overpaintable after few minutes**
- Very fast drying action
- Excellent sound - deepener
- Long lasting
- Does not drop, melt and pulverize

Art. 869 G/B/N  
BODY SLIM & FAST 96 GREY / WHITE / BLACK  
Cont. lt. 1



# BODY SLIM & FAST 96 SPRAY

## OVERPAINTABLE PROTECTIVE AGAINST RUST



**PARTICULARLY SUITABLE FOR VERY FINE STRUCTURES AND TWEAKS**



- Quickly drying
- Overpaintable
- Very high adhesion (on PVC as well)
- Very practical
- Excellent results



*The most used in  
the body shops*

**BODY SLIM & FAST 96 SPRAY** is an 1- component protective product against rust sintetic resin and zinc based, that favours a very high adhesion (on PVC as well). Very quickly drying our product is overpaintable after few minutes. It represents an excellent treatment against corrosion and restructuring for dashboards, luggage chest and engine chest. Very resistant against gravel, salt, heat, moisture, oils and mineral greases.

**Instructions for use:** Shake can well before use, (until the sphere is loose), then uniformly apply from a distance of 20-30 cm on dry and clean surfaces.

Art. 833 G / N  
BODY SLIM & FAST 96 SPRAY GREY / BLACK  
Cont. ml 500



## BODY IN - CAVITY COATING AGAINST CORROSION FROM INSIDE



**BODY IN** brown and transparent were developed to protect all car hollow sections. They are a mixture of high quality synthetic waxes, used for the protection of all cavities. Its point of liquefaction is at +105° C. Very easy to use, quickly drying, it does not peel and assures a long wearing protection. Thanks to its fluidity **BODY IN** penetrates in the existing moisture and covers all hollow surfaces with a strong protective layer, which is not sticking, not tixotropic, elastic and very effective, that avoids further oxidation also on already oxidated surfaces.

**Use instructions:** Shake can well, then apply it with a suitable spray pistol for hollow parts with 4-6 pressure/atm. at room temperature.

- Very fluid
- Quickly drying
- No peeling
- Long wearing protection
- Liquefaction point: +105°C

**Art. 801 M**  
**BODY IN brown**  
Cont. LT. 1

**Art. 801 T**  
**BODY IN transparent**  
Cont. LT. 1




## BODY IN - SPRAY CAVITY COATING SPRAY



**BODY IN SPRAY** brown and transparent were developed to protect all car hollow sections. It is a mixture of high quality synthetic waxes, used for the protection of all the cavities. Its point of liquefaction is at +105°C. Very easy to use, quickly drying, it does not peel and assures a long wearing protection against oxidation. **Very suitable for body shops**, in case of small works inside the car doors, under the engine chest and in the hollow parts of the optical groups.

- Very practical
- Highly adhesive
- Quickly drying
- New version with prolonguing thin cane

**Art. 844 T**  
**BODY IN SPRAY transparent**  
Cont. ml 500





# CARCOFLEX 6600

## ONE - COMPONENT POLYURETHANE SEALANT

**FOR SEALING - STICKING - FASTENING**



- Can be applied on every kind of metals and many other material
- Very elastic and resistant, also against seawater
- Quick polymerization, very high adhesive power
- High abrasion resistance
- Overpaintable and sandable
- Without smell, not corrosive and not flammable
- No shrinkage, no sag

Art. 848 B - CARCOFLEX 6600 - white  
 Art. 848 G - CARCOFLEX 6600 - grey  
 Art. 848 N - CARCOFLEX 6600 - black  
 Cont. ml 310

### APPLICATION FIELDS




- Motor vehicles
- Caravans, boats
- Buildings



### New

*The coloured spouts identify immediately the sealant's colour !*

***A real revolution in the fastening and assembling technology***





# CARCOGLASS 6650 SUPER FAST


## ONE - COMPONENT ADHESIVE POLYURETHANE FOR GLASS BONDING



**SUPER FAST**



- On **MS - Polymer** basis
- High adhesion, very good stability
- Heat resistant from -40°C up to 120°C
- Very resistant against UV rays
- Easy to apply



*Easy to use*



*2 types of spouts  
in the packaging*



**QUICKLY DRYING**  
For cars with 2 air bags: stand-by of 1 hour

Art. 847  
CARCOGLASS 6650  
Cont. ml 310


CAN BE APPLIED FOR THE GLASS BONDING ON :



cars



trucks



buses



caravans



motorboats



# CARCOPLAST

2-COMPONENTS' POLYURETHANIC SYSTEM

for bumpers' repair



Carcoplast is a polyurethanic glue for the repair of the bumpers and other external plastic parts.

2-components cartridge of 50 ml.

### Technical characteristics:

base: Polyurethanic

working time: ca. 50 sec.

dry time: 12-15 min.

overpaintable: after 1 h

colour: black

stock temperature: +10/+25 °C

conf. 50 ml

### Art.845

CARCOPLAST

Cont. ml 50

### Art.845 B

Spare nozzles for  
CARCOPLAST



### Art. 845 Kit

Complete Kit composed by pistol, primer,  
cleaner, film, 2-component product and spouts



**REPAIR INSTEAD OF REPLACE**






# KIT CARCOPLAST FOR BUMPERS' REPAIR


## ONLY FOR PROFESSIONAL USE




1 Clean carefully the surface to be repaired on **both sides** using the Carcoplast CLEANER with a dry cloth. For getting a good result both sides must be absolutely dry and clean.




2 Grind the damaged part with a 80 grit sand paper on both sides. Make a "V" groove along the damaged area and use an 80 grit sand paper in the surrounding area. Then clean with the Carcoplast CLEANER and let it dry.




3 Spray the Carcoplast PRIMER on the grinded and cleaned surfaces and let it act for about 5 minutes. The Carcoplast PRIMER has not to be used on fibreglass or SmC!




4 Cut a patch of the plastic film in the right dimension to cover the back part of the damaged area. Apply now abundantly CARCOPLAST on the patch, place it on the back side pressing it exteriorly.




5 Push ample CARCOPLAST on the front side and through the break and shape it with another piece of film. The product on the front side must be shaped **within 1 minute**.



6 After 15 minutes remove the film and sand the excessing CARCOPLAST initially with a 80 grit sand paper and finish with a 150/180 grit sand paper by 2-3 grit steps to obtain a smooth surface. Avoid high speed and heat.



7 Now clean the surface with Carcoplast CLEANER and, if necessary, spray Carcoplast PRIMER and apply CARCOS SF88 SPECIAL FILLER with its spatula to fill some little imperfections of the repaired surface.



8 After 20 minutes sand the treated surface with a 180/220 grit sanding paper and clean with Carcoplast CLEANER. Now the repaired bumper can be repainted.



For all further informations about the product's use or about its technical features please read the technical data sheets.



# POLISH AND WAXES

RESTORE - BRILLANCE - PROFI - INNOVATIVE



**BRAND NEW FORMULATION**



- New formulation for a long lasting action
- No silicones or aromatic solvents
- Very comfortable to use (easy on - easy off)





## M15 - RESTORE HEAVY CUT- GRIT 1500



**M15 RESTORE** The coarse abrasive paste is ideal for restoring used and damaged paints. The exclusive powder technology guarantees maximum removal and an amazing brilliance with very low dust production. Scratches and sanding marks up to 1500 grit can be easily removed. It can be applied by hand or with a rotary and / or random orbital polisher. Our new formulation guarantees fantastic performances on every type of painting in the Automotive sector. It does not contain silicone.

**How to use:**

Shake the bottle well and apply 3-4 drops on the appropriate pad. With ROTARY polisher use at a speed between 1,500 – 2,000 rpm. With rotorbital machine use at a speed between 2,000 – 10,000 rpm. Remove any polishing residue with a microfibre cloth from the bodywork.

**Art.855 - Cont. 1kg.**



## P13 - PROFI FINE CUT- GRIT 3000



**P13 PROFI** guarantees a superlative finish and an incredible gloss especially on dark cars. Thanks to aluminum-based micro-abrasives, P13 is also able to eliminate small finishing defects, holograms and swirls. The new and innovative formula allows to obtain extremely performing results even on anti-scratch clearcoats. P13 can be used with a rotary or roto-orbital polisher. It does not contain silicone.

**How to use:**

Shake the bottle well and apply 3-4 drops on the appropriate pad. With ROTARY polisher use at a speed between 1,500 – 2,000 rpm. With rotorbital machine use at a speed between 2,000 – 10,000 rpm. Remove any polishing residue with a microfibre cloth from the bodywork.

**Art.856 - Cont. 1kg.**



## B17 - BRILLANCE CARNAUBA WAX



**B17 - BRILLANCE** Protective wax B17 is a particularly effective and unique paint protection. The natural carnauba wax and high-end synthetic components will permanently protect the paint from the elements and leave a long-lasting, extremely brilliant shine. On paints with strong signs of wear we recommend an initial polishing with articles 855 (M15 – Restore) and 856 (P13 – Profi) for an optimal result. B17 can be used with a rotary or random orbital polisher.

**How to use:**

Shake the bottle well and apply 3-4 drops on the appropriate pad. With ROTARY polisher use at a speed between 1,500 – 2,000 rpm. With rotorbital machine use at a speed between 2,000 – 10,000 rpm. Remove any polishing residue with a microfibre cloth from the bodywork.

**Art.858 - Cont. 1kg.**



## S18 - INNOVATIVE FAST POLISH SPRAY



**S18 - INNOVATIVE** is a unique and innovative quick sealant for painting well-maintained or new cars. With absolute ease the surface will be freed from light dirt, dust, fingerprints and at the same time permanently sealed. State-of-the-art polymer technology closes micro-scratches in the top liner and forms a highly cross-linked protective film that protects your vehicle from the elements. The shine and shine through S18 is superb. Free from hydrocarbons and silicone oils and can be easily used to clean and maintain almost any surface smooth.

**How to use:**

Spray S18 on the area to be treated and distribute evenly using a microfibre finishing cloth.

**Art.859 - Cont. ml 500**





## CARCOPAD - WHITE

*Polishing disc for heavy cut (ideal for Art.855)*



Art.868G - Conf.2pz.

**CARCOPAD - WHITE** Hard, coarse-pored polishing disc is ideal for paint preparation. The tear-resistant and cross-linked foam guarantees maximum abrasion and durability.

**How to use:**

The abrasive paste on the pad must be distributed evenly and rubbed on the surface of the paint (WITHOUT STARTING THE MACHINE). The goal is to have unused abrasive paste available over the entire surface to ensure uniform removal. If the pad starts to get dusty or sticky during polishing, it must be cleaned of dirt. The easiest way to do this is to use a cleaning brush. Just press the brush on the rotating pad at low speed and brush. After polishing is complete, all pads can be washed with water and a little detergent. The wet pad is then reattached to the polishing plate with the help of the velcro, otherwise it will lose its shape and shrink.



## CARCOPAD - ORANGE

*Polishing disc for fine cut (ideal for Art.856)*



Art.868F - Conf.2pz.

**CARCOPAD- ORANGE** Medium hardness universal polishing disc for perfect paint preparation. Tear-resistant closed cell foam for maximum durability. The fine, closed cell structure of the foam is ideal for finishing and sealing applications.

**How to use:**

The abrasive paste on the pad must be distributed evenly and rubbed on the surface of the paint (WITHOUT STARTING THE MACHINE). The goal is to have unused abrasive paste available over the entire surface to ensure uniform removal. If the pad starts to get dusty or sticky during polishing, it must be cleaned of dirt. The easiest way to do this is to use a cleaning brush. Just press the brush on the rotating pad at low speed and brush. After polishing is complete, all pads can be washed with water and a little detergent. The wet pad is then reattached to the polishing plate with the help of the velcro, otherwise it will lose its shape and shrink.



## CARCOPAD - BLACK

*Polishing disc for refinishing and wax (ideal for Art.858)*



Art.868L - Conf.2pz.

**CARCOPAD- BLACK** Extremely fine and soft polishing disc. Ideal for removing minor wear, holograms and veils, as well as for sealing applications.

**How to use:**

The abrasive paste on the pad must be distributed evenly and rubbed on the surface of the paint (WITHOUT STARTING THE MACHINE). The goal is to have unused abrasive paste available over the entire surface to ensure uniform removal. If the pad starts to get dusty or sticky during polishing, it must be cleaned of dirt. The easiest way to do this is to use a cleaning brush. Just press the brush on the rotating pad at low speed and brush. After polishing is complete, all pads can be washed with water and a little detergent. The wet pad is then reattached to the polishing plate with the help of the velcro, otherwise it will lose its shape and shrink.



# PLASTIC COAT SPRAY

## SPECIAL PAINT FOR OUTSIDE PLASTIC



**BUMPERS - SIDE BANDS - SPOILERS**



Art. 865 - PLASTIC COAT SPRAY black

Art. 866 - PLASTIC COAT SPRAY anthracite grey

Cont. ml 400



**NEW FORMULA**

- Long wear warranty
- Very practical
- Does not leave halos
- Does not need primer

**BEFORE**



**... AND AFTER**



**BLACK**

**DARK GREY**



## CARCOS - STRUCTURE STRUCTURE SPRAY



**CARCOS STRUCTURE** is an anti gravel coating spray for plastic bumpers based on synthetic resins. It has anticorrosion properties and is overpaintable in a few minutes. The product has special antinoise properties and offers protection against atmospheric elements.

### Use instructions:

Shake can well before use (until the sphere is loose), then uniformly apply from a distance of 20 - 30 cm on dry and clean surfaces.



Art. 834  
CARCOS STRUCTURE SPRAY  
Cont. ml 500



## PLASTIC PRIMER SPRAY PRIMER FOR PLASTIC SURFACES



### NEW FOR THE BODY WORK SHOPS!



With Plastic Primer bumpers, spoilers, lateral bands, wing mirrors and all external plastic surfaces can be overpainted without problems with every kind of paint

- Easy application
- Perfect adhesion
- Sure wearing

**PLASTIC PRIMER** allows a perfect adhesion and a paintholding on every external plastic part of the car.



BEFORE...



...AND AFTER THE TREATMENT

Art. 864  
PLASTIC PRIMER SPRAY  
Cont. ml 400



# CARCOS 287

## SPECIAL PRIMER SPRAY



- EASY TO USE
- ONE-COMPONENT FORMULA
- QUICKLY DRYING
- OVERPAINTABLE
- LONG - LASTING WARRANTY

**CARCOS 287** is a quickly drying spray base for paint, especially for plastic as well as for plate. Its special one – component formula allows an easy and quick utilisation. In body shops this product is mostly used for small processing and gives really excellent results due to its practicality and its variety of use. **CARCOS 287** can be actually used on every kind of plastic material as PP-ABS-PUP-TPO and so on, as well as on aluminium, chromed parts, zinc – steel, and stainless steel. This product grants a long-lasting protection against corrosion and can be overpainted with every kind of paint. **How to use:** use this product only on clean and dry surfaces. Shake the can and spray the product in 2-3 light crossed coats at a distance of about 20 cm. When it's dry pass the treated surface with very fine-grained sandpaper.

**Art. 304**  
**SPECIAL PRIMER SPRAY**  
**Cont. ml 400**





# ZINC SPRAY LIGHT AND DARK



96% of  
PURE ZINC



- Excellent against corrosion
- Very resistant
- Quickly drying (15-20 minutes)
- Can be overpainted and overwelded

## DOUBLE PROTECTION AGAINST RUST


**CARCOS ZINC SPRAY** is a spray compound of zinc alloy for cool galvanostegy, very resistant against atmospherical corrosion, water and sea-water. Thanks to its high adhesive power, it can be applied on every kind of metallic surface. Very suitable to be applied on **welded joints, pipelines, chemical plants, pumps and all kinds of bodyshop works**. **ZINC SPRAY** contains the 96% of pure zinc and therefore it assures a total galvanic protection on all metallic surfaces.

**Our product dries very quickly in about 15-20 minutes and can be overpainted.**

### Use instructions:

Shake can well in order to release the inside ball, shake again for 10 seconds at least, then apply with light spray from a distance of 20-30 cm on clean and dry surfaces. When finished, upset the can and spray shortly to expel residues from the valve.

Art. 400 C  
ZINC SPRAY light  
Art. 400 S  
ZINC SPRAY dark  
Cont. ml 400





# CARCOS RACING SPRAY

## SATIN MATT BLACK - GLOSS BLACK



- Very easy to apply
- High coating power
- Quickly drying
- Long lasting

Acrylic professional paint ideal for retouchings on cars, motor-bikes, industrial vehicles. Easy to apply, quick drying, high coating power.


**RACING SPRAY** assured a high and long-lasting brilliance and is very resistant against atmospheric elements.

**Use instructions:** Shake can well in order to release the inside ball, shake again for 10 seconds at least, then apply with light spray from a distance of 20 cm on clean and dry surfaces. When finished, upset the can and spray shortly to expell all residues from the valve.



Art. 822 O  
RACING SPRAY - satin matt black  
Cont. ml 400

Art. 822 L  
RACING SPRAY - all black gloss  
Cont. ml 400



## FOR A SPORTING TOUCH



# SILVER RIM SPRAY



- Renews the rims
- Very practical
- High coating power

**SILVER RIM SPRAY** is a silver spray paint to renew the car rims. The rims'treatment with **SILVER RIM SPRAY** allows a new shine and a sport touch to the rims making them look like new. Shake can well, then spray the product from a distance of about 20-30 cm, with light crossed movements on dry and clean surfaces. Cover the near surfaces which are not going to be painted. Apply product in a ventilated room.



**BEFORE**

Art. 821  
SILVER RIM SPRAY  
Cont. ml 400

**AND THE RIM  
LOOKS LIKE NEW**

**AFTER**






# ALUMINIUM SPRAY



- Resistant to very high temperatures
- Very good against corrosion
- Gives a sparkling chromium plating

**ALUMINIUM SPRAY** contains a 99,5 percentage of pure aluminium. It's very resistant to high temperatures (**to more than + 800°C**) and is very good against corrosion. Suitable for application on tubes, machine cases, firing plants, exhaust pipes, it covers them with a sparkling chromium - plated layer. Shake can well, then spray the product from a distance of about 20-30 cm, with light crossed movements on dry and clean surfaces. Cover the near surfaces which are not going to be painted. Apply product in a ventilated room.

Art. 815  
ALUMINIUM SPRAY  
Cont. ml 400



# RACING VHT BLACK SPRAY



- Easy to apply
- Quickly drying
- Heat resistant up to **+800 °C**
- Long lasting

**Very High Temperature** black spray paint heat resistant particularly suitable for silencers of cars and motorcycles, can be applied on every kind of surface exposed to high temperatures.

**Use instructions:** Shake can well in order to release the inside ball, shake again for 10 seconds at least, then apply with light spray from a distance of 20-30 cm on clean and dry surfaces. When finished, upset the can and spray shortly to expell residues from the valve.

Art. 849  
VHT BLACK SPRAY  
Cont. ml 400









# RATTLE INHIBITING PLATES

**SELF-STICKING, OVERPAINTABLE, CAN BE PREFORMED**




Art. 703 - PLATE 50X50


- Eliminates noises and vibrations
- Very adhesive and resistant
- Very easy to apply
- Can be preformed and overpainted




**FOR A FAST AND PERFECT RATTLE INHIBITING OF:**




*Hood*



*Trunk*



*Doors*



*Car Interior Parts*

**THE IDEAL  
PRODUCT FOR  
CAR BODY SHOPS**

The panels are made of a 2.1mm layer of sound-absorbing material which, once the protective sheet has been removed, will adhere perfectly to the chosen surface, which must be cleaned and dry.





# CARCOS 3300

## VAS LUBE SPRAY

### Vaselin oil



- Lubricates
- Isolates
- Protects
- Reduces abrasion

CARCOS 3300, VAS LUBE OIL, isolating and protecting spray is the ideal product for all body shops, for lubricating all mechanical joints exposed to the oxidization danger as well as a protective for metals, plastic, rubber, wood. It eliminates squeakings, reduces abrasion and protects from moisture. Colourless, odourless, atoxic, resistant to high and low temperatures from -10° C up to +130° C.



THE IDEAL LUBRICANT  
FOR CAR BODY-SHOPS

Art. 818  
CARCOS 3300  
VAS LUBE SPRAY  
Cont. ml 400



# STICK SPRAY

## QUICK SPRAY ADHESIVE



- Rapid
- Practic
- Powerful

NEW FORMULA

STICK SPRAY is a highly and quickly effective mastic: it is particularly suitable for sticking cardboard parts, paper, rubber, polystrene, wood and other materials put in places which are difficult to reach. Before use, shake can very well, then spray from 10-20 cm distance and wait few minutes before joining together the parts which are going to be stucked.

Porous materials should be sprayed only on one side.



Art. 842  
STICK SPRAY  
Cont. ml 400



Band structure due  
to its special nozzle.

# ***CHEMICAL PRODUCTS*** ***CAR CARE***



CAR CARE



## **I NOSTRI PRODOTTI NON COSTANO, VALGONO**

Qualità, qualità, qualità. La parolina magica che oggi va tanto di moda. Ma quello che molti non capiscono, è che la qualità non è l'espressione del costo, ma del valore di un prodotto. Quindi per favore: prima di chiederci cosa costano i nostri prodotti, chiedeteci cosa valgono.

## **OUR PRODUCTS ARE WORTH MORE THAN THE PRICE YOU PAY**

Quality, quality, quality - the magic word, and now increasingly in demand. But what many people don't understand is that proof of quality is not in the cost but in the value of the product itself. So please, before asking how much our products cost, ask us how much they are really worth.

## **LA VALEUR DE NOS PRODUITS N'A PAS DE PRIX**

Qualité, qualité, qualité. La formule magique qui est tellement à la mode. Mais ce que de nombreuses personnes ne comprennent pas, c'est que la qualité ne dépend pas du coût, mais de la valeur d'un produit. Par conséquent, nous vous prions d'une chose: avant de nous demander les tarifs de nos produits, demandez nous ce qu'ils valent.

## **UNSERE PRODUKTE SIND MEHR WERT, ALS SIE KOSTEN**

Qualität, Qualität, Qualität. Dieses kleine magische Wort, das heutzutage so modisch geworden ist. Was aber viele nicht verstehen, ist daß die Qualität nicht der Ausdruck eines Kostenpunktes, sondern eines Wertes ist. Deshalb bitte: bevor Sie uns fragen, was unsere Produkte kosten, fragen Sie uns, was sie wert sind.

## **NUESTRO PRODUCTOS NO CUESTAN, VALEN**

Calidad, calidad, calidad. La palabra mágica que está de moda hoy en día. Lo que muchos no entienden, es que la calidad no es la expresión del costo, sino del valor de un producto. Así que por favor: antes de preguntarnos cuánto cuestan nuestros productos, pregúntenos cuánto valen.



**CARCOS GROUP S.R.L.**

via Luigi Galvani 26 - I - 39100 Bolzano - BZ

Tel. (0039) - 0471 - 379048

[carcos@carcos.com](mailto:carcos@carcos.com) • [www.carcos.com](http://www.carcos.com)



## 500 - GLASS SHINE

Car windows cleaner

Lemon scent



### 500 - GLASS SHINE

Special detergent for car windows, lemon fragrant. It grants a perfect visibility. Lightly spray the product from a closed distance and then wipe the treated surface with a dry and clean cloth.



Art. 500  
GLASS SHINE  
Cont. ml. 500



## 501 - INTERIOR SOFT

Cleaner - hygienizer

Fragrant



### 501 - INTERIOR SOFT

Excellent detergent for all the interior car parts. In its action the product cleans, hygienizes and perfumes the interior of the car. Spray the product from a closed distance and then wipe with a dry and clean cloth.



Art. 501  
INTERIOR SOFT  
Cont. ml. 500



## 503 - INSECTS REMOVER

### Insects remover



Art. 503  
INSECTS REMOVER  
Cont. ml. 500

### 503 - INSECTS REMOVER

Excellent cleaner for removing insects from the windscreen and all the other car's surfaces. Spray the product abundantly from a closed distance and let it act for about 1 minute before wiping the dirt with a dry and clean cloth.



## 505 - CAR HABITAT

### Multipurpose polish



Art. 505  
CAR HABITAT  
Cont. ml. 500

### 505 - CAR HABITAT

CAR HABITAT cleans, regenerates and restores all the interior parts of vinyl, plastic, polished wood etc. together with a delicate fragrance. In its twin action the product restores the colours' original shine. Spray the product onto a clean and dry cloth and wipe the surfaces.





## 507 - OUTSIDE PLASTIC Cleaner and restorer



### 507 - OUTSIDE PLASTIC

Cleaner and restorer for all the outside plastic parts of the car. In its action the products renews bumpers, spoilers, lateral bands etc. giving them their colours' original shine. Spray the product abundantly on the surfaces to be treated and wipe them with a clean and dry cloth.



Art. 507  
OUTSIDE PLASTIC  
Cont. ml. 500




## 506 - ENGINE CLEANER Engine Cleaner



### 506 - ENGINE CLEANER

The product easily and quickly removes oils, grease, dregs and waxes from engines, gears, chassis and from any other mechanical parts of cars and industrial machines. Spray abundantly and uniformly the product on the surface to be treated, let it effect for about 2 minutes and then remove with a strong jet water pressure.



Art. 506  
ENGINE CLEANER  
Cont. ml. 500



## 512 - WHEEL CLEANER

### Wheel cleaner



#### 512 - WHEEL CLEANER

Excellent detergent for steel and aluminium rims. Apply the product abundantly, let it effect for about 2 minutes and then wash thoroughly with a water stream or wipe with a cloth.



Art. 512  
WHEEL CLEANER  
Cont. ml 500



## 513 - TYRE NEW

### Tyre paint black



#### 513 - TYRE NEW

Very concentrated liquid which preserves and restores black tyres, giving them back a superb new look. Quick drying, long lasting effect. Spray the product uniformly from a closed distance.



Art. 513  
TYRE NEW  
Cont. ml 500





# RCR 2000 TAR AND RESINS REMOVER



- Deep cleaning action
- Washable
- Does not corrode

*The top solution to remove tar, resins, labels and residual glue of the adhesive labels from the car body*

RCR 2000 easily removes all spots of tar, oil and grease, as well as dregs of tree resins from car chrome plated parts and car body (also from plastic and glass). **In its action it does not corrode any kind of material. Also suitable to remove labels and residual adhesives.** Simply spray RCR 2000 on the dirty surface, wait some minutes and wash it up with water. In case of very obstinate dregs, use a soft cloth soaked with the same product.

Art. 802  
RCR 2000  
Cont. ml 400

*The resin on the car body is very hard and difficult to remove*





# COCKPIT SPRAY



## Normal version and without silicones



- Cleans and polishes
- Restores and protects
- Does not leave halos - dust repeller



**COCKPIT SPRAY** easily polishes and restores cockpits and all plastic and rubber internal car parts. It contains regenerating substances and has got a delicate chewing-gum smell that give to your car a wonderful fragrance and a sparkle effect. Our product does not leave halos and is dust repeller. Shake well before use, then spray the product from a distance of about 20 cm. Wait for some seconds and wipe with a dry and clean cloth. Do not spray the product on car glasses or seats. To clean the car glasses we suggest our **GLASS SHINE** (Art. 852)

**COCKPIT SPRAY NO-SIL** is the cockpit-polish product very suitable for all car body shops, where the use of silicone containing products is not welcome. In fact, **COCKPIT SPRAY NO-SIL** grants the total silicone absence in its formula.

Art. 812  
**COCKPIT SPRAY**  
Cont. ml 500

Art. 812 NO-SIL  
**COCKPIT SPRAY NO-SIL**  
Cont. ml 500

**CHEWING GUM  
FRAGRANCE**





## GLASS SHINE SPRAY GLASS CLEANING FOAM



CARCOS GLASS SHINE spray is a **foam spray** cleaner for glasses, mirrors and crystals. It is particularly suitable to clean the windshields of the cars, because it enables a **perfect and clear visibility**. Shake can before use, then spray from a distance of about 20 cm in light layers. It will appear a white foam that must be wiped with a clean and dry cloth.




Art. 852  
GLASS SHINE SPRAY  
Cont. ml 400

*... for a perfect and safe visibility*



## ODOUR KILLER ECOLOGICAL AIR FRESHENER



**NEW**

**ODOUR KILLER** is a regenerating product for the air, really effective to eliminate bad smells.

**It does not add perfume**, but neutralizes molecules in suspension radically solving the problem of bad fumes.

With **ODOUR KILLER** the room returns to its natural freshness.

Art. 861  
ODOUR KILLER  
Cont. ml 400



## GO FOAM CARPET & FABRIC SEATS' CLEANER



- Cleans quickly and easily
- Renews the fabric colours
- Does not leave halos



**GO FOAM** is a white cleaning foam that thanks to its special high degreasing power, easily removes all greasy marks from fabric, cloth, sky, vinyl car seats, renewing their original colours as well. Shake can well before use then spray from a distance of about 20-30 cm from the surface to be cleaned, **holding the can vertically**. Wait for some minutes and lightly wipe with a brush.

Art. 854  
GO FOAM  
Cont. ml 400



## CARCOS MC 3 CLEANSER FOR CAR - INTERIOR



- All-purpose cleanser
- Hygienizing
- Deodorizing
- Very practical

*The excellent cleanser  
for your car interior*

**CARCOS MC 3** is an excellent all-purpose cleanser for car interiors. Its cleansing, disinfecting and deodorizing action provides fragrance to the car interior giving it a marvellous effect of gloss and good smell.

### Use instructions:

Shake the can before using and then smoothly spray the product from a distance of about 20 cm. Let it act on the surface for about ten seconds and then wipe with a dry clean cloth. Really excellent for the car interior.

Art. 811  
CARCOS MC3  
CAR INTERIOR CLEANSER  
Cont. ml 500



# CARCO AIR 2000

## SPECIAL HYGIENIZER FOR AIR CONDITIONING SYSTEMS



**NEW - NEW - NEW - NEW - NEW - NEW**



- Special cleaner and hygienizer
- With bactericide substances
- Long lasting action (1 year)

The ideal product against mould and bacteria that cause bad smells and allergies. **CARCO AIR 2000** solves these problems in an effective way and moreover, the special bactericide substances it contains also grants the hygiene of the air conditioning system.

### Use instructions:

by using the special thin cane, spray **CARCO AIR 2000** inside the ducts of the air-conditioning and heating system. After 10 minutes switch on the aeration system for at least 5 min. Use one spray bottle to clean each aeration system. For the art. 813/2 the half of the bottle is enough for one application.

**After this operation the system's hygiene is assured for one entire year.**

Only for professional use.




Art. 813  
CARCO AIR 2000  
Cont. ml 200

**LIQUID  
FORMULA**

Art. 813/2  
CARCO AIR 2000  
Cont. ml 400



Equipped with a multidirectional 60 cm long cane for a better diffusion.



**NOVITA'**



## CARHABITAT PLUS HYGIENIZER FOR CAR HABITAT



- Special cleaner and hygienizer
- With bactericide substances
- Long lasting action (1 year)

**CARHABITAT PLUS** The product eliminates in a natural way the bad smells and keeps long time his effect. Exceptionel solution for the bad odour from the airconditioning of the car.

### USE INSTRUCTIONS

Shake well the can before use. When the air conditioning is in function, sprays the product in the car habitat until the product is finished and wait 5 min. ( 15 min. to neutralize mildew ). After that ventilate the car.



Art. 814  
CAR HABITAT PLUS  
Cont. ml 400



## CARHABITAT PRO SANITIZER FOR CAR INTERIOR

**SANITIZES - DISINFECT - CLEANS**



- **Multi-purpose**  
Allows multiple uses in the field of industrial cleaning and maintenance.
- **Safe**  
Does not contain compounds classified Toxic / harmful.
- **Fast**  
Exceptionally active, it can be used on any surface, does not discolour, does not paint, does not stain



**CAR HABITAT PRO** is an **ALCOHOL-BASED** specialist product for the elimination of organic dirt in normal cleaning operations and to check the bacterial load values on surfaces and equipment. The special formulation characterized by the use of ethanol (75-80% pure) anhydrous 95 ° C and a new and innovative active ingredient gives the product a high bacteriostatic activity superior to any other product on the market. The product finds useful use in the implementation of HACCP sanitation procedures, and in all cleaning and sanitizing operations. It can be used on all surfaces and does not leave streaks.

Art. 814 BC  
CAR HABITAT PRO  
Cont. ml 400



# CARCOS MULTILAVAVETRO CONCENTRATED CLEANER ADDITIVE

ONE DOSE FOR 6 LITRES OF WATER



- Fast action windshield cleaner
- Very practical and economic
- Does not leave smears
- With apple fragrance



FOR A  
PERFECT VISIBILITY

Art. 996  
WINDSHIELD CLEANER ADDITIVE  
Cont. ml 250 (for 6 lt. water)

**CARCOS WINDSHIELD CLEANER** is a special concentrated liquid additive to be added to the water in the windshield-cleaner tank.

**CARCOS WINDSHIELD CLEANER** allows a perfect visibility during the summertime. Very economical and with a fast cleansing action it is particularly suitable to remove oil, grease, insects and smears from the windshield.





# SILICON SPRAY




- Lubricates
- Isolates
- Protects
- Renews

**SILICON SPRAY** forms a transparent, highly resistant and adhesive film that due to its high penetration power protects the different mechanic joints against oxidization like locks, jacks, hinges, joints and so on. **SILICON SPRAY** protects the rubber and plastic parts as well, against cracks and gives to the treated parts a long lasting new shine. **Our product is a dust - repeller and is also used to seal the cabrio tops.**


Spray uniformly from a distance of about 20 cm.



Art. 817  
SILICON SPRAY  
Cont. ml 400



*Lubricates*



*Isolates*



*Protects*



*Renews*





## CARCOS 2078 TYRE-BLACK SPRAY



CARCOS 2078 is a spray for restoring and preserving the rubber surfaces, giving them back a new gloss. Long-lasting effect, spray from a closed distance onto the surfaces to be treated.

- Rubber parts remain soft and smooth
- Restores the colour
- Excellent for black tyres and all rubber parts

NEW



Art. 824  
CARCOS 2078  
Cont. ml 400



## CARCOS TYRE PAINT BLACK



CARCOS TYRE PAINT BLACK is a very concentrated liquid which preserves and restores black tyres, giving them back a superb new look. Quickly drying. Apply product uniformly with a soft brush. It can be diluted with water at 1:3/1:5

SUPER  
CONCENTRATED



Art. 823  
TYRE PAINT BLACK  
Cont. kg 10



# NEUTRAL SHAMPOO FOR HAND CAR BODY WASHING

APPLE  
FRAGRANT



**NEUTRAL SHAMPOO** is the ideal product to wash by hand the body of your car. With a delicate apple fragrance and highly concentrated it generates an efficient and soft foam. The product can be diluted to 1:20 water parts.

Art. 873  
NEUTRAL SHAMPOO  
Cont. kg 20



Art. 862  
NEUTRAL SHAMPOO  
Cont. lt 1

# ***CHEMICAL PRODUCTS TRUCK - INDUSTRY***



**CHEMICAL PRODUCTS  
CAR REPAIR SHOP**



**CHEMICAL PRODUCTS  
BODYWORK SHOP**



**CHEMICAL PRODUCTS  
CAR CARE**



**CHEMICAL PRODUCTS  
TRUCK - INDUSTRY**






# RUST REMOVER WITH MOLYBDENUM SULPHIDE



with  
MOS<sub>2</sub>




- Releases quickly
- Eliminates creakings
- Lubricates and protects



**RUST REMOVER** is a highly and immediately penetrating product, particularly suitable in the car branch to release screws, nuts, studs and any other kind of metallic threaded part. Due to its molybdenum sulphide contents, **RUST REMOVER** is also a very good lubricant, it protects therefore the treated parts from further oxydation. Its attached prolonguing thin straw allows the use of the product also in places wich are very difficult to reach. **The product can also be used at very low temperatures.**

Art. 300  
RUST REMOVER SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw





# SUPER RUST REMOVER

## WITH IMMEDIATE RELEASING ACTION



- Releases immediately
- Penetrates and lubricates
- Expels moisture
- Dissolves the oxidized layers

**SUPER**



### 98% of active substances

Due to the 98% of active substances it contains, **SUPER RUST REMOVER** allows an **almost immediate release of screws, nuts, studs** and of any other kind of metallic threaded part, setting them free from rust, scaling and oxydation. Furthermore, thanks to its special formula, **SUPER RUST REMOVER** lubricates thoroughly and with its high penetration power it expands in places which are very difficult to reach, eliminating all annoying creakings and frictions.

Finally, **SUPER RUST REMOVER** has got a very high water expelling power and therefore with its powerful spout it thoroughly puts water and moisture away from the electric contacts, forming a light and protective film which enables a better electric conductivity. Its attached prolonging thin straw allows the use of the product also in places which are very difficult to reach.

Art. 301  
SUPER RUST REMOVER SPRAY  
Cont. ml 400

cap with  
attached extensible  
straw





# CARCOS 2020 CARCOS 2020 FLUID TOP LUBE SPRAY



**The most used in  
the workshops!**

- Transparent
- Very adhesive and resistant
- Water-proof and inalterable
- Heat resistant (-40° C +200° C)



Art. 829 C  
CARCOS 2020  
Cont. ml 500

CARCOS 2020 is a high quality lubricant that allows an exceptional lubrication of the mechanical parts which are exposed to high pressures, swings and big temperature ranges .


CARCOS 2020 is **transparent** and due to the immediate evaporation of its solvent, it allows an **optimate penetration**. Its powerful stream can be better directed thanks to the attached extensible straw, allowing its use also in parts which are difficult to reach. The permanent lubrication given by our product, protects the treated parts from corrosion.

CARCOS 2020 is also **heat resistant**, from -40°C up to +200°C, and unalterable against atmospheric agents, gas, hydrocarbons, lubricant oils, as well as waterproof (also seawater). Shake can well before use and spray from a distance of about 20 cm.



Art. 829 F  
CARCOS 2020 FLUID  
Cont. ml 500

cap with  
attached extensible  
straw



Look at the high  
and fast adhesivity

fluid  
version





# SILICON SPRAY



- Lubricates
- Isolates
- Protects
- Renews

**SILICON SPRAY** forms a transparent, highly resistant and adhesive film that due to its high penetration power protects the different mechanic joints against oxidization like locks, jacks, hinges, joints and so on. **SILICON SPRAY** protects the rubber and plastic parts as well, against cracks and gives to the treated parts a long lasting new shine. **Our product is a dust - repeller and is also used to seal the cabrio tops.**


Spray uniformly from a distance of about 20 cm.



Art. 817  
SILICON SPRAY  
Cont. ml 400



*Lubricates*



*Isolates*



*Protects*



*Renews*






# CARCOS MS 44

## MULTI PURPOSE LUBRICANT




- Lubricates and deoxidates
- Insulates and protects
- Releases and expels moisture



*lubricates*



*protects*



*releases*

CARCOS MS 44 is a compound of special lubricant oils as well as of antiwear additives that considerably reduces the friction factor and assures a perfect lubrication

also in very difficult situations. Thanks to its properties MS 44 is also a very good water-expellent, with releasing and antiscuff characteristics. Regularly employed it prevents from wear and enhancing and prolongues the time between the maintenances, as well as the life of the moving mechanical parts. The product can also be used at very low temperatures. The attached prolonguing thin cane allows its employment also in parts which are difficult to reach.



Art. 305  
MS 44 SPRAY  
Cont. ml 400



# CARCOS CF 12

## REVEAL GAS SPRAY



- Gas leaks detector
- Very quick and effective
- Also for flammable gas



IT CAN BE USED WITHOUT PROBLEMS  
ALSO FOR FLAMMABLE GAS PIPELINES  
UNDER PRESSURE !

CARCOS CF 12 is a gas leaks' detector which allows an easy location of all gas leaks from pipelines, tanks, also under pressure and every kind of compressed – air tanks. It can be used without problems also for flammable gas pipelines under pressure. **NO EXPLOSION DANGER.** Hold the bottle vertically and spray uniformly on the surfaces to be tested. The appearance of small bubbles will indicate where the leak is placed. **It can be used without problems also for flammable gas pipelines under pressure!**

Art. 408  
REVEAL GAS SPRAY  
Cont. ml 400



# CUTTER SPRAY

## MINERAL OIL FOR CUTTER OPERATIONS



- For soft and hard metals
- High viscosity
- For a continuous lubricating action

**CUTTER SPRAY** is a very useful oil for cutting soft and hard metals. The product has a very high viscosity and it can be used under very high pressures. Sprayed on the blade edge during the cutting operations, it assures a continuous lubrication. It also allows an easy threading and piercing with no waste.

**HIGH VISCOSITY**

Art. 404  
CUTTER SPRAY  
Cont. ml 400



# CARCOS 2920

## SEPARATING SPRAY - spray for weldings



- For every kind of welding
- Avoids adhesion and spatters
- Without silicones

**WITHOUT SILICONES!**

**CARCOS 2920** separating spray avoids the adhesion of the welding slags and spatters on the surfaces. It does not contain silicon. Apply to welder nozzles to keep them clean and efficient as well as for a perfect welding without bubbles. Lightly spray on the surfaces to be treated.

Art. 405  
CARCOS 2920 - SEPARATING SPRAY  
Cont. ml 400





# HPD 2001

## HIGH POWER DEGREASER

Industrial degreaser and cleaner



**NEW - NEW - NEW - NEW - NEW**



- Detergent and degreaser
- Very powerful
- Quickly drying
- Not harmful or corrosive

HPD 2001 is a powerful degreaser effective for metallic surfaces and other metallic parts like chains, joints clacks and so on in the industrial and mechanical field. Due to its quick drying action and to its high degreasing power, the treated surfaces will be perfectly clean and degreased in very short time.

**PERFECT  
CLEANING  
ACTION**

Art. 805  
HPD 2001  
HIGH POWER DEGREASER  
Cont. ml 400

Art. 805 T5  
HPD 2001  
Cont. lt 5





# ZINC SPRAY LIGHT AND DARK



96% of  
PURE ZINC



Art. 400 C  
ZINC SPRAY light  
Art. 400 S  
ZINC SPRAY dark  
Cont. ml 400

- Excellent against corrosion
- Very resistant
- Quickly drying (15-20 minutes)
- Can be overpainted and overwelded


**CARCOS ZINC SPRAY** is a spray compound of zinc alloy for cool galvanostegy, very resistant against atmospherical corrosion, water and seawater. Thanks to its high adhesive power, it can be applied on every kind of metallic surface. Very suitable to be applied on **welded joints, pipelines, chemical plants, pumps and all kinds of bodyshop works.** ZINC SPRAY contains the **96% of pure zinc** and therefore it assures a total galvanic protection on all metallic surfaces. Our product dries very quickly in about 15-20 minutes and can be overpainted.

DOUBLE PROTECTION  
AGAINST RUST



#### Use instructions:

Shake can well in order to release the inside ball, shake again for 10 seconds at least, then apply with light spray from a distance of 20-30 cm on clean and dry surfaces. When finished, upset the can and spray shortly to expel residues from the valve.



# CARCOS INOX SPRAY

SPRAY PAINT IDEAL FOR STAINLESS STEEL



**INOX SPRAY** forms a film, similar in appearance to stainless steel. This film resists oxidation, chemical agents (acids and alkalis), atmospheric agents, water, nicks, scratches, etc.

**The product dries quickly and can be painted over.**

#### How to use:

Shake well before use; spray the product from a distance of about 20 cm on the surface to be treated, in a thin and uniform way, avoiding the formation of drops. Before proceeding to further operations, let it dry for at least 60 minutes.

Art. 401  
INOX SPRAY  
Cont. ml 400



# MULTI PURPOSE CLEANER



**MULTI purpose cleaner** for removing dirt from all kinds of surfaces like glass, metal, plastic material, wood etc. Suitable for the automotive sector as well as for other purposes. After the application wait for 1 minute and then wipe dirt with a clean cloth.



Art. 515  
MULTI  
Cont. ml. 500



# GLASS SHINE CAR WINDOWS CLEANER



**GLASS SHINE** is a special detergent for windows, lemon fragrant. It grants a perfect visibility. Lightly spray the product from a closed distance and wipe the treated surface with a dry and clean cloth.

**Grants  
a perfect visibility**

Art. 500  
GLASS SHINE  
Cont. ml. 500



# CARCOS 2807

## ANTI GRAFFITI SPRAY

special remover for spray paints



**NEW - NEW - NEW - NEW - NEW**



**Removes immediately graffiti and spray paints from hard, non-porous surfaces.**




ANTI-GRAFFITI 2807 especially studied for removing graffiti and paints from rigid, non-porous surfaces.

### Use instructions:

Wear protective gloves. Spray the product onto small parts of the surfaces to be cleaned. Wait a few seconds, then rub with a dry cloth or with blotting paper. Repeat the operation until the surface is completely clean. To avoid the surface to become opaque, and for confidence before using the product we recommend to verify the compatibility of the Antigrafitti on a small part of the surface out of sight.

Art. 860  
CARCOS 2807  
ANTI GRAFFITI SPRAY  
Cont. ml 400





# CARCOS MAX-CLEANER

## UNIVERSAL DETERGENT



**NEW - NEW - NEW - NEW - NEW**



- Universal detergent
- Hygienizer
- Deodorizing
- Very practical to use

CARCOS MAX-CLEANER is a special universal detergent for various applications. The product cleans, hygenizes and deodorizes every treated surface.

#### Use instructions:

Before using the product shake well the can and then spray MAX-CLEANER uniformly from a distance of 25 - 30 cm onto the surfaces. Let it act for some seconds and then wipe with a dry and clean cloth.

**UNIVERSAL CLEANER  
FOR VARIOUS APPLICATIONS**

Art. 867  
MAX CLEANER  
Cont. ml 500



# MICROFIBER CLOTH



Art. 951  
MICROFIBER CLOTH size 60 x 80 x 0,4 cm

*Leather cloth in microfibre.  
Various applications. It cleans  
up in an only passage with  
immediate effect.  
High performance*



## DETER FORCE CONCENTRATED DETERGENT



Art. 874  
DETER FORCE  
Cont. kg 20

A highly concentrated liquid cleaner that allows to remove thick dirt from the car body. **Fields of application:** Cars'pre-washing, to wash up the truck's trapaulins, for industrial vehicles and so on. Use product at a low pressure rate diluted at 1:30/40 with water. Atomize on the dry vehicle **and then wash up with water-cleaning-machine after few minutes.** During the summer increase product's dilution up to 1:60/70 with water. By high pressure suction the suggested dilution rate is 1:20.



## DETER FORCE SUPER SUPER CONCENTRATED DETERGENT



Art. 874 S  
DETER FORCE SUPER  
Cont. kg 20

*against the strongest dirt*

A highly concentrated liquid cleaner to remove even the thickest dirt from the car body. **Application fields:** Cars'pre-washing, to wash up the truck's trapaulins, for industrial vehicles and so on. Use product at a low pressure rate diluted to 1:30/40 with water. Atomize on the dry vehicle **and then wash up with water-cleaning-machine after few minutes.** During the summer increase product's dilution up to 1:60/70 with water. By high pressure suction the suggested dilution rate is 1:20.







# FLOOR CLEANER



- High performance
- Highly concentrated
- Does not leave halos



Art. 871  
**FLOOR CLEANER**  
Cont. kg 20

**FLOOR CLEANER** is a liquid cleaner containing low-suds that might be used with wash - drying and floor - washing machines. Very effective against oils and grease, rubber residues and so on. According to the surface and the kind of dirt to be cleaned, the product can be diluted with 10-30% of water.



# HAND CLEANSER

- High performance - fast action
- Highly economical
- With pleasant smell



## WARRIOR

*Natural Citrus Hand Cleanser  
for Workshops*

Art. 851 W - Cont. lt 5



## PL 2000

*Hand cleanser*

Art. 851 PL - Cont. kg 5





# CARHABITAT PRO

## SANITIZER FOR CAR INTERIOR

**SANITIZES - DISINFECT - CLEANS**



**Art. 814 BC**  
**CAR HABITAT PRO**  
Cont. ml 400

- **Multi-purpose**  
Allows multiple uses in the field of industrial cleaning and maintenance.
- **Safe**  
Does not contain compounds classified Toxic / harmful.
- **Fast**  
Exceptionally active, it can be used on any surface, does not discolour, does not paint, does not stain



### APPLICATION FIELDS

**CAR HABITAT PRO** is an **ALCOHOL-BASED** specialist product for the elimination of organic dirt in normal cleaning operations and to check the bacterial load values on surfaces and equipment. The special formulation characterized by the use of ethano (75-80% pure) anhydrous 95 ° C and a new and innovative active ingredient gives the product a high bacteriostatic activity superior to any other product on the market. The product finds useful use in the implementation of HACCP sanitation procedures, and in all cleaning and sanitizing operations. It can be used on all surfaces and does not leave streaks.



# CC 2020 – CLEANING CLOTH

## DISPOSABLE SANITIZING WIPES IN TNT



**Art. 850**  
**CC2020 - CLEANING CLOTH**  
Cont. 80 wipes

- Dermatologically tested
- With ALOE BARBADENSIS
- Soft on one side and abrasive on the other
- Ideal for workshops - body shops - industries
- Enriched with natural emollients and moisturizers



**CC2020 CLEANING CLOTH** is a non-woven towel, slightly abrasive on one side and soft on the other, particularly effective for cleaning hands. Very suitable for those who work in the automotive, industry, bodywork sector, it is an ideal product for cleaning hands quickly without water, removing oils, greases, glues and silicone residues, eliminating smells of petrol and / or diesel. Dermatologically tested, it is also enriched with emollients and moisturizers natural with Aloe Vera extract.

# INTERNATIONAL FAIRS AND MEETINGS

Beograd  
Athens **Bucuresti**  
**Seoul** Praha Bruxelles  
Madrid Roma Bologna Paris  
Barcelona **Istanbul**  
**Southampton** Markersdorf  
Torino **Milano** Brno  
Warszawa St. Petersburg  
**Kyoto** Luxemburg  
České Budějovice Astana Wien  
Frankfurt **MOSCOW**  
Salzburg Pécs Oporto  
**Ciudad de México**





# Chemical products for professionals only



**CARCOS GROUP S.R.L.**  
via Luigi Galvani 26 - I - 39100 Bolzano - BZ  
Tel. (0039) - 0471 - 379048  
[carcos@carcos.com](mailto:carcos@carcos.com) • [www.carcos.com](http://www.carcos.com)